



Doors

ASL's Door series has been designed to suit a wide range of operations including hinged, top hung and bottom sliding. With a range of hardware components also available, our door components can also be used to create bi-folds and pivot doors. Designed to give sharp, clean architectural lines these doors have been widely used in banks, apartments, schools and government spaces. Be sure to check out of "Door Assembly Guide" later in this guide which has been put together to ensure these doors are correctly assembled on site by our customers.


- Stile widths available include 75mm, 100mm & 125mm
- Rails and Transoms include 75mm, 100mm & 150mm
- Easily accommodates 12.38 Laminated glass
- Top Hung and Bottom sliding rails available
- Variety of seals available to ensure great acoustic performance




Standard Suite Profiles - Suits all ASL Systems




ASL 605
75mm TOP & BOTTOM RAIL




ASL 615
75mm HINGE STILE




ASL 620
75mm LOCKSET STILE




ASL 625
75mm CLOSING STILE




ASL 645
100mm TOP & BOTTOM RAIL




ASL 670
100mm TRANSOM




ASL 655
100mm HINGE STILE




ASL 660
100mm LOCKSET STILE




ASL 665
100mm CLOSING STILE




ASL 776
150mm TRANSOM & BOTTOM RAIL




ASL 673
125mm HINGE STILE



ASL 672
125mm LOCKSET STILE




ASL 640
INFILL FOR LOCKSET STILE



ASL 610
GLAZING BEAD


Standard Sliding Suite Profiles - Suits all ASL Systems




ASL 350
TOP ROLLER TRACK WITH FIXED GLAZING




ASL 351
PELMET




ASL 357
PELMET ADAPTER




ASL 102
HEAD GUIDE




ASL 101
BOTTOM ROLLER TRACK




ASL 100
HEAD GUIDE (MATING)




ASL 352
PELMET CLOSER




ASL 355
VERTICAL CLOSER




ASL 353
VERTICAL STARTER




ASL 120 KG
TOP TRACK




ASL 120 KG
TOP TRACK PELMET




ASL 180 KG
TOP TRACK




ASL 180 KG
TOP TRACK PELMET




ASL 250KG
TOP TRACK




ASL 250KG
TOP TRACK PELMET




ILOCK
INTERLOCKER




NYLON FLOOR GUIDE



DOOR STOP 180 / 250




GUIDE CHANNEL




ROLLER GUIDE


Standard Elevation - 75mm Profiles




75mm Profiles - 75mm Top Rail - Vertical Options




75mm Stiles - Hinged Pivot & Sliding



HINGED DOOR




PIVOT DOOR




SLIDING DOOR


Standard Elevation - 100mm Profiles




100mm Profiles - 100mm Top Rail - Vertical Options




100mm Stiles - Hinged Pivot & Sliding



HINGED DOOR




PIVOT DOOR




SLIDING DOOR


Standard Elevation - 125mm Profiles




125mm Profiles - 125mm Stiles - hinged, Pivot & Sliding



HINGED DOOR




PIVOT DOOR




SLIDING DOOR


Standard Elevation - Single Sliding Door with Fixed Glazing




Standard Details - Top Hung Sliding Door, Fixed Panel




Standard Details - Top Hung Sliding Door, Fixed Panel




Standard Details - Opening & Door Panel




Standard Details - 64mm Steel Stud, Sliding Door, Fixed Glazing




Standard Elevation - Double Sliding Doors with Fixed Glazing



Standard Details - Bottom Roller Stacking Doors




Standard Details - Bottom Roller Stacking Doors - Mating Head Guide




Standard Details - Vertical End Wall, Interlockers


INTERLOCKERS



VERTICAL END WALL



Standard Elevation - Single Sliding Door



Standard Details - Single Sliding Door - Top Track

